



TENDER

TO

**REPLACE THE VINYL SIDING & CONDUCT EXTERNAL
IMPROVEMENTS ON THE
NELSON LAPRADE CENTRE
9 WILLIAM ST., CHESTERVILLE**

***QUOTATION CLOSING DATE
10:00 am
Wednesday, May 23rd, 2018***

**Township of North Dundas
636 St. Lawrence St
P. O. Box 489
Winchester, ON
K0C 2K0
613-774-2105**



636 St. Lawrence St., P.O. Box 489, Winchester, Ontario K0C 2K0
Tel: 613-774-2105 Fax: 613-774-5699 www.northdundas.com

REQUEST FOR TENDER

To replace the vinyl siding with the specified composite siding on the Nelson LaPrade Centre, located at 9 William St., in Chesterville and to conduct external improvements to the community centre.

The Township may utilize the vendor with the lowest price where the product, service, and references are satisfactory and the vendor is available to perform the work. Where it is not possible to utilize the lowest vendor, the second lowest vendor may be utilized and so on.

DUE DATE: Wednesday, May 23rd, 2018, at 10:00 am

FOR FURTHER INFORMATION, PLEASE CONTACT:

Meaghan Meerburg
Director of Recreation and Culture
613-774-2105 ext. 236

The Township of North Dundas is committed to providing quality goods and services that are accessible to all persons that we serve. Documents are available in various accessible formats upon request. Individuals are advised to contact the Township Office and the Township will work with the individuals to provide a format that meets their needs. Information is collected under the authority of the Municipal Freedom of Information and Protection of Privacy Act and is subject to this act.

Scope of Work:

REMOVAL OF EXISTING SIDING & RELATED FINISHES

1. Remove existing and related finishes that are to be replaced, as indicated in the following sections.

PRODUCT INFORMATION & SPECIFICATIONS

1. Siding for exterior, excluding 4 gable ends: Everlast Composite Siding, CedarTouch finish, in Chestnut colour, 6-7/8"
2. Shake for 4 gable ends: Novik, NoviShake RS8 in Khaki #18 colour
3. Corner, window & door trim: Everlast Colour-Matched Trim, in Sand Dune colour
4. J Trims: Everlast Colour-Matched Trim, in Sand Dune colour
5. Transitions: Everlast Colour-Matched Trim, in Polar White colour, 6"
6. Drip Caps: White
7. Insulation: 1" rigid foam insulation
8. Everlast steel starter strip
9. Everlast seam brackets and screws

OTHER

1. Exterior caulking
2. New house wrap & taping
3. Aluminum, stainless steel, galvanized or other corrosion-resistant nails or screws that are 3/8" to 7/16" with a maximum shank diameter of 160"

PROVISIONAL ITEMS

1. Gable accessory, 4 gables, white PVC (please refer to Appendix 1)
2. Beam for over main entrance door (please refer to Appendix 2)
3. Cultured stone for at the base of the 2 existing pillars at the main entrance (please refer to Appendix 2)
4. Trim for around the main entrance door, white PVC (please refer to Appendix 3)

GENERAL INFORMATION

1. Before proceeding, read all instructions for both Everlast siding and appropriate j-pocket trim products.
2. All j-pocket trim must have a minimum pocket depth of 3/4" and must be installed prior to installing Everlast siding.
3. Do NOT install Everlast siding in temperatures below 0° F.
4. Inspect siding for any breakage, foreign objects, surface defects, color consistency and correctness.
5. Do NOT install questionable product.

JOB SITE STORAGE

1. Do NOT stack siding more than 3 skids high.
2. Do NOT store bundles in a vertical position.

BEST PRACTICE

1. On hot sunny days, store siding in the shade. Keep siding away from heat sources. If siding is stored outside, lay siding on wood supports to avoid direct contact with the ground.

PREPARING WALLS

1. Everlast siding must be installed over flat and level exterior walls with either 16" or 24" on-center framing.
2. Everlast siding serves as a rain screen, not a weather resistant barrier. Therefore, it must be installed over a weather-resistant barrier.
3. Properly flash around all windows, doors, rake boards, chimneys, and areas of transition between dissimilar materials.
4. If installing over concrete block, poured concrete, or brick, siding must be installed over 1" x 3" furring strips.

BEST PRACTICE

1. If exterior walls are not flat or level, a quality underlayment should be installed first to create a flat and level surface.

STARTING THE INSTALLATION

1. Install 1" rigid foam insulation.
2. Install j-pocket trim at inside and outside corners, and around all windows and doors.
3. Chaulk a level line at the lowest point of the wall.
4. Install Everlast steel starter strip aligned with the chaulk line, leaving a 1/2" gap between sections of starter strip to lock the siding plank onto the starter strip and slide the plank into the corner j-pocket. Be certain the plank is fully seated onto the starter strip.
5. To accommodate lateral expansion and contraction, always leave a 1/4" gap between the end of the siding plank and the inner wall of the j-pocket trim.

BEST PRACTICE

1. Prior to installation, mark stud locations to facilitate and speed installation. Nailing slots are provided every 8" on-center to also assist in stud location.

REQUIRED FASTENERS

1. Fasten planks only with aluminum, stainless steel, galvanized or other corrosion-resistant nails or screws that will penetrate the siding, sheathing, and into the studs a minimum of 3/4".
2. Nail/screw head diameter must be 3/8" to 7/16" with a maximum shank diameter of 160".
3. If installing into metal framing, use self-tapping corrosion resistant screws.

PROPER FASTENING

1. Everlast is a floating siding system that accommodates lateral expansion and contraction within j-pocket trim. Therefore, never hard nail siding planks tightly to the wall.
2. Always fasten siding planks through the center of the pre-punched nailing slots.
3. Always leave a 1/32" gap between the nail head and the nailing hem.
4. Always fasten into every available stud across the length of the wall.
5. Avoid fastening siding in a manner where it will conform to dips or bumps in the wall. On wavy walls, float the siding accordingly and shim where necessary to achieve visual flatness.
6. To ensure a level installation, prior to fastening, be sure each plank is fully seated onto the starter strip or course below.
7. Courses of siding measuring 60' or longer must be pinned at the center of the course. Pin the course by placing fasteners at both edges of a single nailing slot. This will ensure that a course expands and contracts in both directions.

SEAMING PLANKS TOGETHER

1. All plank-to-plank butt joints must be securely seamed using Everlast seam brackets and

screws.

2. Proper installation of seam brackets ensures that all planks in a course are securely tied together and will be able to expand and contract freely, as a single unit, within j-pocket trim.
3. Butt planks together tightly at seams before installing the seam bracket.
4. Install each seam bracket with 4 seam bracket screws to hold planks firmly together. PLEASE NOTE: The screws provided in the seam bracket kit are of proper length that will NOT penetrate through the planks. WARNING: Only use 5/16" stainless steel screws. Do not use screws that will penetrate into the wall, preventing planks from floating. Doing so voids the warranty.
5. Center the seam bracket on the nailing hem of adjacent planks and fasten with 4 seam bracket screws, 2 per plank.
6. When possible, avoid seams under and over windows and over doors.

BEST PRACTICE

1. Use factory end cuts at seams whenever possible. When using field cuts, be certain cuts are square.

SEAM BRACKET KIT CALCULATOR

1. Each kit contains 25 brackets and 115 screws
2. 3 squares per kit for 6-7/8" reveal Everlast planks
3. 2 squares per kit for 4-1/2" reveal Everlast plank

CUTTING PLANKS

1. For vertical cuts, use a power saw with a fine tooth or plywood blade.
2. An option for horizontal cuts only, is to use a straight edge or metal brake with a utility knife or a scoring tool. Score across the face of the plank and then snap the plank on the score line.

EAVES AND GABLES

1. To maintain the proper pitch of the top course, use a furring strip behind the cut edge and at all seams. This furring strip also functions as a compression strip holding the planks tightly against the front of the top trim piece.

DISPOSAL

1. The Township of North Dundas shall provide a garbage container and coordinate transportation and disposal of project related debris at no cost to the contractor.



BID FORM

TENDER

TO

**REPLACE THE VINYL SIDING & CONDUCT EXTERNAL
IMPROVEMENTS ON THE
NELSON LAPRADE CENTRE
9 WILLIAM ST., CHESTERVILLE**

TENDER CLOSING:

Wednesday, May 23rd, 2018 at 10:00 am

LOCATION:

Township of North Dundas
Attn: Meaghan Meerburg,
Director of Recreation & Culture
636 St. Lawrence Street
Winchester, ON

RESPONDENT INFORMATION FORM

RESPONDENTS must complete this form and include with the submission.
Please ensure that all information is legible.

1.	Company Name	
2.	Respondent's Main Contact Individual	
3.	Address	
4.	Office Phone #	
5.	Toll Free #	
6.	Cellular #	
7.	Fax #	
8.	E-mail Address	
9.	Website	
10.	HST Account #	

ACKNOWLEDGEMENT TO RECEIPT OF ADDENDA

This will acknowledge receipt of the following addenda and that the pricing quoted includes the provision set out in such addendum(s)

ADDENDUM #

DATE RECEIVED

Check here if NO Addenda received.

RESPONDENT

SIGNATURE

DATE

SCHEDULE I

ITEMS AND UNIT PRICES

BID		
Item	Description	Price Excluding HST
1	Replace the vinyl siding and conduct external improvements (Found in the <i>PRODUCT INFORMATION & SPECIFICATIONS</i> and <i>OTHER</i> sections, on page 3)	\$
2	PROVISIONAL: Gable accessory, 4 gables, white PVC (Found in the <i>PROVISIONAL ITEMS</i> section, on page 3)	\$
3	PROVISIONAL: Beam for over main entrance door (Found in the <i>PROVISIONAL ITEMS</i> section, on page 3)	\$
4	PROVISIONAL: Cultured stone for at the base of the 2 existing pillars at the main entrance (Found in the <i>PROVISIONAL ITEMS</i> section, on page 3)	\$
5	PROVISIONAL: Trim for around the main entrance door, white PVC (Found in the <i>PROVISIONAL ITEMS</i> section, on page 3)	\$

PROPOSED 2018 PROJECT START DATE: _____

2018 PROJECT COMPLETION DATE: _____

By submitting this tender form, the contractor acknowledges the owner's right to accept or reject any bid at its sole discretion.

The undersigned affirms that he/she is duly authorized to execute this Bid.

BIDDER'S NAME: _____

POSITION: _____

BIDDER'S SIGNATURE: _____

DATED THIS _____ DAY OF _____ 20_____.

INFORMATION AND GENERAL SPECIFICATION

SITE VISIT

An **optional** site visit has been organized during which questions regarding this tender will be addressed and bidders may inspect the site. Tenders will still be accepted from bidders who do not attend the site meeting.

Location: Nelson LaPrade Centre, 9 William St., Chesterville

Date and Time: Thursday, May 10th, 2018 at 8:30 am

OPENING TENDERS

Sealed tenders must be submitted to the Township of North Dundas, **636 St. Lawrence Street, Winchester, ON, K0C 2K0 on or before 10:00 am, local time, on Wednesday, May 23rd, 2018** as determined by the time/date stamp clock in the location receiving the bids. Submissions received at 10:01 am or later will be deemed to be late and non-compliant, in which case, the envelope will be time and date stamped and returned unopened, to the bidder.

Bids shall be clearly labeled with the following:

NELSON LAPRADE CENTRE RENOVATIONS

Att: Meaghan Meerburg
Director of Recreation & Culture

Bidders need not be present at the opening of their tender. Tender award is anticipated to be by June 5th, 2018.

QUESTIONS & CLARIFICATIONS

Should a bidder find discrepancies or omissions in the tender documents or should there be any doubt as to their meaning, the bidder shall inquire. Should a correction, explanation, or interpretation be necessary, a written addendum will be issued and posted on the Township of North Dundas website at www.northdundas.com. Any addenda issued during the tender period, shall form a part of these tender documents.

All inquiries and clarification shall be directed to:

Meaghan Meerburg
Director of Recreation & Culture
Township of North Dundas
636 St. Lawrence St.
Winchester, ON. K0C 2K0
Ph: 613-774-2105 ext. 236
Email: mmeerburg@northdundas.com

BLANK FORM OF TENDER

All tenders must be submitted to the Township of North Dundas using the Bid Form, annexed hereto, and shall be signed by the tenderer, with their business address clearly indicated. The Township will not be responsible for any lost documents.

COST OF TENDERING

Bidders assume responsibility for all costs, expenses, loss, damage, and liabilities incurred as a result of or arising out of tendering or out of the invitation to bid.

WITHDRAWAL OF TENDERS

Requests for withdrawal of tenders received prior to closing time will be allowed. However, withdrawal requests received after the closing time will not be allowed.

REJECTION OF TENDERS

The following bids will be rejected:

- Late bid (closing time shall be determined by the Township of North Dundas bid time clock)
- Bid not completed in ink or by non-erasable medium
- Incomplete bid
- Bid form not signed
- Tender bid form not used

UNACCEPTABLE TENDERS

Tenders which are conditional, or obscure, or which contain additions not called for, erasures, alterations, or irregularities of any kind, may be rejected.

Tenders that contain prices which appear to be so unbalanced as likely to adversely affect the interests of the Township, may be rejected.

IRREVOCABLE

All bids will be irrevocable for a period of sixty (60) days from the closing date of the bid or until a contract is signed with the successful bidder, whichever comes first.

AWARD OF CONTRACT

The award of this contract is subject to the availability of funding and the approval of the Council of the Township of North Dundas. No compensation will be paid to any bidder as a result of not awarding this project. **This tender may be awarded in part, in whole or not at all.**

RIGHT TO ACCEPT OR REJECT TENDERS

The Township reserves the right to reject at their discretion, any or part of, or all tenders. The "lowest" bid will not necessarily be accepted. All information available to the owner will be used in evaluating the bids.

REFERENCES

Bidders are required to provide three (3) references for related works completed within the past 12 months. Submissions must include the company name, main contact name, phone number, and email address, as well as a brief description of the works completed and the service location. The Township of North Dundas reserves the right to contact any and all of these references and to use these references as part of the evaluation of the tender submission. The information collected will be used solely for purposes relating to the Township of North Dundas.

SCHEDULING

The tendering contractor shall indicate, in his/her tender, the date that he/she is available to commence the work in 2018 and the anticipated 2018 date for completion of the work.

LICENSES/PERMITS AND CONFORMANCE

The successful bidder shall consult local building codes in order to ensure compliance of construction and shall acquire, at their cost, all necessary permits and licenses from the Province of Ontario and the Township of North Dundas for the purpose of construction.

The successful bidder shall conform to the requirements of all applicable federal, provincial and municipal laws, statutes, and regulations.

INSURANCE

The successful bidder shall, at their own expense, within 10 days of notification of acceptance and prior to the commencement of work, obtain and maintain until the termination of the contract or otherwise stated, provide the Township with evidence of:

COMMERCIAL GENERAL LIABILITY INSURANCE

Commercial General Liability Insurance issued on an occurrence basis for an amount of not less than \$2,000,000. per occurrence / aggregate for any negligent acts or omissions relating to their obligations under this agreement. Such insurance shall include, but is not limited to bodily injury and property damage including loss of use; **failure to perform**; personal injury; contractual liability; premises, property & operations; non-owned automobile; broad form property damage; broad form completed operations; owners & contractors protective; occurrence property damage; products; employees as Additional Insured(s); contingent employers liability; tenants legal liability; cross liability and severability of interest clause

Such insurance shall add the Township of North Dundas as Additional Insured with respect to the operations of the contractor. This insurance shall be non-contributing with and apply as primary and not as excess of any insurance available to the Township.

AUTOMOBILE LIABILITY INSURANCE

Automobile liability insurance with respect to owned or leased vehicles used directly or indirectly in the performance of the services covering liability for bodily injury, death and damage to property with a limit of not less than \$2,000,000. inclusive for each and every loss.

PROFESSIONAL LIABILITY INSURANCE (if they are providing an inspection)

Professional liability (errors and omissions) insurance coverage shall be obtained to a limit of not less than \$1,000,000. If such insurance is written on a claims made basis, coverage shall include a 24-month extended reporting period or be maintained for a period of two years subsequent to conclusion of services provided under this agreement.

Any deductible shall be subject to approval by the Township and cannot for any of the above-referenced insurance exceed \$10,000. It is further agreed that all deductibles shall be the sole responsibility of the successful bidder.

The Policies shown above shall not be cancelled unless the Insurer notifies the Township in writing at least thirty (30) days prior to the effective date of the cancellation. The insurance policy will be in a form and with a company which are, in all respects, acceptable to the Township.

INDEMNIFICATION AND HOLD HARMLESS

The contractor shall indemnify and save harmless the Township of the Township of North Dundas, their officers and employees from and against any liability, loss, claims, demands, costs and expenses, including reasonable legal fees, occasioned wholly or in part by any negligence acts or

omissions whether willful or otherwise by the contractor, their agents, officers, employees or other persons for whom the contractor is legally responsible.

WORKPLACE SAFETY & INSURANCE COVERAGE

The successful bidder must obtain and forward to the Township a letter of clearance from the Workplace Safety and Insurance Board stating that he/she is in good standing with the Board. The clearance certificate's validity period is up to 90 days and new clearance is automatically generated 4 times per year (May 20, August 20, November 20, and February 20) for contractors in good standing with the Workplace Safety and Insurance Board. It is the responsibility of the successful bidder to ensure that its contractors and/or subcontractors of every description obtain and maintain proper and adequate coverage used for this project, as would be required of any prudent contractor and/or subcontractor of such assigned operation.

Work will not be authorized to begin until this document is received by the Township of North Dundas.

RENEWAL OF INSURANCE AND WSIB CERTIFICATES

Please ensure that your Certificate of Insurance is updated throughout the term of the contract and that copies are forwarded to the Director of Recreation & Culture for the Township of North Dundas, upon renewal.

W.S.I.B. clearance certificates must remain in good standing with the Workplace Safety and Insurance Board throughout the course of this contract.

PRICES

Prices quoted are to be in Canadian funds and are to remain firm and irrevocable and continue open for acceptance by the Township for a period of 60 calendar days after the closing date indicated in this Tender.

Prices quoted must include all costs involved in obtaining necessary permits, fees and inspections required by all authorities having jurisdiction, unless otherwise stated in the *Scope of Work*. Prices quoted must also include all incidental costs, including, but not limited to labour, equipment, supplies, travel time, customs duty, brokerage fees, excise tax, freight, insurance, fuels, energy costs, etc., and the Bidder shall be deemed to be satisfied as to the full requirements of the Tender. Claims for additional costs will not be entertained in respect to visually discernible conditions, which could have been reasonably ascertained by proper inspection of the site during the bidding period. Any additional work must be authorized in writing prior to commencement.

HARMONIZED SALES TAX (HST)

Harmonized Sales Tax (HST) is an applicable tax, however it shall not be included in the bid price.

PAYMENT

Invoices indicating the tender number should be mailed directly to:

Township of North Dundas
Att: Meaghan Meerburg,
Director of Recreation & Culture
636 St. Lawrence St.
P.O. Box 489
Winchester, ON.
K0C 2K0

PERIOD OF CONTRACT

The contract with the successful bidder shall be until successful completion of the project as per the terms and conditions of the tender and acceptance of such by the Township.

Should the contractor fail to carry out the work in compliance with the requirements of this contract, the Township of North Dundas may notify the contractor in writing that he is in default of his contractual obligations and instruct him to make the necessary corrections within seven (7) working days of receipt of such notice. If the corrections are not completed within an acceptable time as agreed to by the Township of north Dundas; Township of North Dundas prejudice may-

Issue a stop work order and make the necessary corrections deducting the cost from any payment due to the contractor.

Or

Terminate the contract.

Should the Township of North Dundas terminate the contract, the Township shall take possession of the completed work and finish the work, withhold further payments to the contractor and upon total completion of work, charge the contractor the amount by which finishing the work exceeds the contract price.

The contractor's obligation for the work performed up to the time of termination shall continue on force after such termination.

QUALITY CONTROL

Provide all supervision, labour, equipment and materials necessary to be orderly, competent and expeditious completion of the work. Maintain site supervision capable of acting competently on site instructions issued by the Township of North Dundas or their Project Manager.

Retain at the site, for reference as required, a copy of all specifications, addenda, drawings, written instructions and changes in the work.

Provide the Township of North Dundas with access to the site for purposes of inspecting the work.

Pay for any extra testing or inspection whereby the work was found deficient.

Correct, at no cost to the Township of North Dundas, all deficient work in a manner acceptable to the standard of these specifications.

The contractor shall guarantee the quality of the work for a period of 1 year, commencing on the date of project acceptance.

WARRANTY

The contractor shall guarantee the quality of the work, for a period of 2 years, commencing on the date of project completion. The liability under the warranty will be for the contractor to correct, at no cost to the Township of North Dundas, all deficient work arising from improper installation and/or product use, in a manner acceptable to the standard of these specifications.

When seaming planks of Everlast siding together, only use 5/16" stainless steel screws. Do not use screws that will penetrate into the wall, preventing planks from floating. Doing so voids the warranty.

DAMAGE CLAIMS

The contractor shall be responsible for all damages caused by them or their employees, agent or any workmen employed by them, or under their control, or arising from the execution of the work, or by reason of the existence or location or condition of work or any materials, plant or machinery used thereon or therein or which may happen by reason of their failure or the failure of those for whom they are responsible, to do or perform any or all of the several acts or things required to be done by them under the contract, and agrees to hold the Township safe and harmless from any such claims by third parties, including any legal costs incurred by the Township in connection therewith on a solicitor/client basis.

RESPONSIBILITY OF EMPLOYEES

In the event that any person employed by the successful contractor gives just cause for complaint, the contractor, upon notification by the Township in writing, shall not permit such person to continue in any future work arising out of this contract.

The Contractor's personnel shall be required to be neat, polite, courteous and sober at all times, and shall perform their duties in a manner which shall present a high level of public relations for the contractor and the Township.

SITE SAFETY

The contractor shall comply with Provincial and local statutes; in particular the Occupational Health & Safety Act and Regulations. Contractors shall use a regular system of safety inspections to detect and correct hazardous conditions, safety violations, and unsafe work practices. In addition to regularly scheduled inspections, supervisors/foreman shall conduct continuous worksite surveillance taking immediate action to rectify any observed unsafe conditions or actions.

UTILITIES AND MUNICIPAL SERVICES/PROPERTY

It is the contractor's responsibility to contact the various agencies to verify the location in the field of any underground utility and/or municipal service.

The contractor will be responsible to protect all utilities and municipal service and property from breakage during construction. However, if a utility or a service is damaged, the contractor shall immediately repair the damaged service or contact the appropriate agency to repair the damage. All costs associated with the repaired utility or service shall be borne by the contractor. Municipal services shall include water mains, water services, valves, and all appurtenances associated with water works sewer mains, sewer laterals, catch basin leads, manholes, catch basins, and all appurtenances associated with sewer works.

Utilities or utility shall include all above and underground wiring, conduits, and pipes of all descriptions, and all related appurtenances which are supplied by hydro, gas, telephone and cable television companies and the Township of North Dundas.

TERMINATION

In the event that the successful bidder fails to comply with any of the terms and conditions set forth in the signed contract agreement, the successful bidder will be notified in writing and will be given ten (10) days to comply with the violated sections. At the expiration of the stated period of time, if the successful bidder has not complied to the satisfaction of the Township, the contract can be terminated. Any

termination of the contract by the Township shall be without prejudice to any other rights or remedies the Township may have.

The Township of North Dundas shall have exclusive option of terminating the contract, immediately, at any time for any fraud or dishonesty on the part of any officer, employee, or agent, of the successful bidder.

FREEDOM OF INFORMATION

The Township is subject to the provisions of the *Municipal Freedom of Information and Protection of Privacy Act*. As a result, the Township cannot guarantee that any information forwarded to the Township can be held in confidence. Bidders must identify, in their submission, any information which they feel is confidential and which should remain confidential. Bidders must specify their reasons and those sections of the Act which support the confidentiality. Confidential information must be included in a separate section of the submission. This will facilitate the ability to make other parts of the submission available to the public. In all circumstances, the provisions of the Municipal Freedom of Information and Protection of Privacy Act will prevail.

ALTERNATIVES AND SUBSTITUTIONS

Bids shall be based on the bid documents. Any alternatives, substitutions or qualifications that are not requested in the bid documents may be submitted, separately from the bid on the bidder's letterhead, so that the bid may be accepted with or without these alternatives, substitutions, or qualifications.

SUBCONTRACTING/ASSIGNEE

The contractor agrees to preserve and protect the right of the Township of North Dundas under this Contract with respect to any work to be performed under subcontract.
The contractor shall:

- a) Require his/her subcontractors to perform their work in accordance with and subject to the same terms and conditions of the contract documents;
- b) Be fully responsible to the Township of North Dundas for acts and omissions of his subcontractors and of persons directly and indirectly employed by the subcontractors;
- c) Shall employ those subcontractors proposed by him in writing and accepted by the Township of North Dundas prior to the commencement of any work;
- d) Shall be responsible to obtain same and/or comparable insurance coverage set forth under the contract document Insurance Requirements and WSIB clearance.

The Township of North Dundas may, for reasonable cause, object to the use of a proposed subcontractor and require the contractor to employ one of the other proposed subcontractors.

Nothing contained in the contract documents shall create any contractual relationship between any Subcontractor and the Township of North Dundas.

LIST OF SUB-CONTRACTORS (To be submitted with bid sheets)


Bidders shall list hereunder the names of all sub-contractors for the execution of all work and services as described in these bid documents which shall not be performed directly by the Contractor or the contractors' employees.

SUB-CONTRACTED WORK	
NAME OF SUB CONTRACTOR	
ADDRESS	
PHONE NUMBER	

SUB-CONTRACTED WORK	
NAME OF SUB CONTRACTOR	
ADDRESS	
PHONE NUMBER	

SUB-CONTRACTED WORK	
NAME OF SUB CONTRACTOR	
ADDRESS	
PHONE NUMBER	

APPENDIX 1



A. Gable accessory shown. 4 gables, to be constructed from white PVC.

APPENDIX 2



- A. Beam for over main entrance door. End finish pictured is a suggestion. Contractor to provide style options.
- B. Pillars are existing, but will require bottom blocks as shown.
- C. Cultured stone for at the base of the 2 existing pillars at the main entrance

APPENDIX 3



- A. Trim for around the main entrance door, white PVC. Trim style pictured is a suggestion. Contractor to provide style options.